

www.irrigationglobal.com

Contactus: service@irrigationglobal.com



Tape and barb connectors catalogue. Rivulis irrigation, plastro, tavlit plastic.

Index

Page 1 -3	Barb connectors
Page 4	8mm insert fittings connectors
Page 5	Pro-Grip Tape Connectors 16mm from 6 mil [0.16mm] to 25mil [0.6mm]
Page 6	Pro-Grip Tape Connectors 20mm 25mil [0.6mm]
Page 7	Pro-Grip Tape Connectors 22mm 15, 25 mil and 23mm 40 mil
Page 8	Tavlit Swivel connectors 25mm 15 and 25 mil
Page 9	Line Ends Clamps
Page 10	Barbed Start and Couplings
Page 11	Hydrofit 18 mil [0.46mm] only, Ring Connectors















Contact us:





service@irrigationglobal.com

BARB CONNECTORS FOR DRIP LINES and LDPE pipes

The fittings serve 12, 16, 17 and 20 mm driplines and PE tube with wall thicknesses 30-47 mil
 Bold lines are recommended as a standard







Material	Description	Image	Box C5 SAP 303000515, Size L470 W370 H265		Remarks		
			Quantity (units)	Av. Weight (kg.)			
BARB START CONNECTORS							
101001883	BARBED START CONNECTOR 12mm BLACK		3000	12.68	PBT - FOR MINING Drill or punch 7.5mm in PE or 16mm for using with gasket in PVC or PE		
101030544	BARBED START CONNECTOR 12mm VIOLET		2500	10.68			
101001885	BARBED START CONNECTOR 16mm S GREEN		2500	10.68			
101030545	BARBED START CONNECTOR 16mm S BROWN						
101030542	BARBED START CONNECTOR 16mm VIOLET						
101003837	BARBED START CONNECTOR 17mm GREEN		2000	13.65			
101030541	BARBED START CONNECTOR 17mm BROWN		2000	13.65			
101001884	BARBED START CONNECTOR 20mm BLACK		1500	10.76			
101001886	Start connector grommet for PVC and PE pipes						Drill hole size 16mm. Max. pipe wall thickness - 4.0 mm
BARB COUPLING							
101001887	BARBED BLACK COUPLING RIVULIS 12x12mm		2500	12.3	PBT - FOR MINING		
101030571	BARBED PURPLE COUPLING RIVULIS 12x12mm		2500	12.3			
101009941	BARBED BROWN COUPLING RIVULIS 12x12mm		2000	10.5			
101001889	BARBED GREEN COUPLING RIVULIS 16x16mm S		2000	10.5			
101010386	BARBED BROWN COUPLING RIVULIS 16x16mm S		1500	13.7			
101030569	BARBED PURPLE COUPLING RIVULIS 16x16mm		1500	13.7			
101001965	BARBED GREEN COUPLING RIVULIS 17x17mm		1000	9.7			
101003868	BARBED BROWN COUPLING RIVULIS 17x17mm		900	11.0			
101001888	BARBED BLACK COUPLING RIVULIS 20x20mm						
101003865	BARBED COUPLING 25x25 BLACK						
REDUCING BARBED COUPLING							
101003908	REDUCING BARBED GREEN COUPLING RIVULIS 16x12mm		1500	9.6	PBT - FOR MINING		
101009942	REDUCING BARBED BROWN COUPLING RIVULIS 16x12mm		1500	9.6			
101030585	REDUCING BARBED PURPLE COUPLING RIVULIS 16x12mm		2400	15.2			
101003890	REDUCING BARBED COUPLING 17x12 BLACK		1500	12.2			
101003892	REDUCING BARBED COUPLING 20x12 BLACK		1500	12.8			
101001970	REDUCING BARBED GREEN COUPLING RIVULIS 17x16mm		1000	8.7			
101003888	REDUCING BARBED GREEN COUPLING RIVULIS 20x16mm		1000	9.3			
101003895	REDUCING BARBED GREEN COUPLING RIVULIS 20x17mm		1000	11.7			
101030584	REDUCING BARBED COUPLING 25x20 BLACK						
BARBED ELBOW							
101003927	BARBED ELBOW 12 BLACK		4000	16.3			
101003928	BARBED ELBOW 16 BLACK		1800	11.4			
101003929	BARBED ELBOW 17 BROWN		1800	11			
101003930	BARBED ELBOW 20 BLACK		900	10.2			
101003931	BARBED ELBOW 25 BLACK		800	13.7			
BARBED TEE							
101003960	BARBED TEE 12x12x12 BLACK		2500	13.4			
101003961	BARBED TEE 16x16x16 BLACK		1000	11.1			
101003962	BARBED TEE 17x17x17 BROWN		1000	9.5			
101003963	BARBED TEE 20x20x20 BLACK		650	9.1			
101003964	BARBED TEE 25x25x25 BLACK		550	11.4			
BARBED REDUCING TEE							
101003974	BARBED REDUCING TEE 12x16x12 BLACK		1800	12.7			
101003975	BARBED REDUCING TEE 16x12x16 BLACK		1100	11.3			
101003976	BARBED REDUCING TEE 16x20x16 BLACK		900	11			
101003977	BARBED REDUCING TEE 17x16x17 BLACK		1200	12			
101003978	BARBED REDUCING TEE 20x12x20 BLACK		650	10.4			
101003979	BARBED REDUCING TEE 20x16x20 BLACK		650	10			
ADAPTOR BARBED x MALE THREADED							
101003912	ADAPTOR BARBED 12x1/2" MALE THREADED BLACK			1400		16.6	REPLACE WITH 101003921 REPLACE WITH 101030592
101003913	ADAPTOR BARBED 12x3/4" MALE THREADED BLACK	1100		15			
101003914	ADAPTOR BARBED 16x1/2" MALE THREADED BLACK	1200		14.7			
101003915	ADAPTOR BARBED 16x3/4" MALE THREADED BLACK	900		15.9			
101013077	ADAPTOR BARBED 17x1/2" MALE THREADED BROWN	1600		14.5			
101003916	ADAPTOR BARBED 17x3/4" MALE THREADED BROWN	1300		14			
101003917	ADAPTOR BARBED 20x1/2" MALE THREADED BLACK	1500		13.6			
101003918	ADAPTOR BARBED 20x3/4" MALE THREADED BLACK	800		15.4			
101030593	ADAPTOR BARBED 25x1/2" MALE THREADED BLACK	1000		11.7			

101003919	ADAPTOR BARBED 25x3/4" MALE THREADED BLACK		900	15.1		
ADAPTOR BARBED x FEMALE THREADED						
101010748	ADAPTOR BARBED 16x3/4" FEMALE THREADED BLACK		1000	13.1		
101003920	ADAPTOR BARBED 20x3/4" FEMALE THREADED BLACK		900	11.5		
ELBOW BARBED x MALE THREADED						
101003955	ELBOW BARBED 12x1/2" THM BLACK		1600	12.6		
101003948	ELBOW BARBED 12x3/4" THM BLACK		1400	12		
101003949	ELBOW BARBED 16x1/2" THM BLACK		1600	12.5		
101003950	ELBOW BARBED 16x3/4" THM BLACK		1300	12		
101003956	ELBOW BARBED 17x1/2" THM BLACK		1600	12		
101003951	ELBOW BARBED 17x3/4" THM BLACK		1300	12		
101003952	ELBOW BARBED 20x1/2" THM BLACK		900	11.4		
101003953	ELBOW BARBED 20x3/4" THM BLACK		700	11.2		
101003954	ELBOW BARBED 25x3/4" THM BLACK		600	12.1		
BARBED MALE THREADED TEE						
101003990	BARBED MALE THREADED TEE 12x1/2"x12 BLACK		1400	13		
101003991	BARBED MALE THREADED TEE 12x3/4"x12 BLACK		1100	10.4		
101003992	BARBED MALE THREADED TEE 16x1/2"x16 BLACK		1100	15.2		
101003993	BARBED MALE THREADED TEE 16x3/4"x16 BLACK		850	13.4		
101003994	BARBED MALE THREADED TEE 17x1/2"x17 BLACK		1000	12.5		
101003995	BARBED MALE THREADED TEE 17x3/4"x17 BLACK		850	11.5		
101003996	BARBED MALE THREADED TEE 20x1/2"x20 BLACK		650	9.9		
101003997	BARBED MALE THREADED TEE 20x3/4"x20 BLACK		550	10.5		
101030614	BARBED MALE THREADED TEE 25x1/2"x25 BLACK		600	11		
101003998	BARBED MALE THREADED TEE 25x3/4"x25 BLACK		450	11.3		
BARBED FEMALE THREADED TEE						
101004004	BARBED FEMALE THREADED TEE 12x3/4"x12		500	13.4		
101004001	BARBED FEMALE THREADED TEE 16x3/4"x16		400	12.4		
101004002	BARBED FEMALE THREADED TEE 17x3/4"x17		360	15.5		
101004003	BARBED FEMALE THREADED TEE 20x3/4"x20		350	12.9		
101009672	BARBED FEMALE THREADED TEE 20x1"x20		300	10.9		
BARBED Y CONNECTOR						
101004005	BARBED Y CONNECTOR 12x3/4" THM BLACK		700	11.3		
101004006	BARBED Y CONNECTOR 16x3/4" THM BLACK		600	12		
101004007	BARBED Y CONNECTOR 17x3/4" THM BROWN		500	10		
101004008	BARBED Y CONNECTOR 20x3/4" THM BLACK		500	10.5		
BARBED FORK (3 WAY) CONNECTOR						
101030615	BARBED FORK CONNECTOR 12x3/4" THM BLACK		600	10.6		
101004009	BARBED FORK CONNECTOR 16x3/4" THM BLACK		500	11.6		
101030616	BARBED FORK CONNECTOR 17x3/4" THM BLACK		450	9		
101004010	BARBED FORK CONNECTOR 20x3/4" THM BLACK		400	9.2		
BARBED 3W ADAPTOR						
101004013	BARBED 3W ADAPTOR 12x3/4" THF		400	11.3		
101011459	BARBED 3W ADAPTOR 16x3/4" THF		360	11.7		
101011460	BARBED 3W ADAPTOR 17x3/4" THF		300	14		
101030622	BARBED 3W ADAPTOR 17x1" THF		300	11.9		
101004014	BARBED 3W ADAPTOR 20x3/4" THF		260	9.9		
101030621	BARBED 3W ADAPTOR 20x1" THF		260	10		
BARBED 4W ADAPTOR						
101011461	BARBED 4W ADAPTOR 12x3/4" THF		360	10.7		
101004015	BARBED 4W ADAPTOR 16x3/4" THF		300	10.4		
101004016	BARBED 4W ADAPTOR 17x3/4" THF		250	9.5		
101030623	BARBED 4W ADAPTOR 17x1" THF		250	9.5		
101004018	BARBED 4W ADAPTOR 20x3/4" THF		200	9.7		
101004017	BARBED 4W ADAPTOR 20x1" THF		200	8.4		
BARBED 6W ADAPTOR						
101004019	BARBED 6W ADAPTOR 12x3/4" THF		280	9.3		
101004020	BARBED 6W ADAPTOR 16x3/4" THF		220	8.3		
101004021	BARBED 6W ADAPTOR 17x3/4" THF		200	7		
101030624	BARBED 6W ADAPTOR 17x1" THF		200	7		
101011462	BARBED 6W ADAPTOR 20x3/4" THF		150	6.3		
101004022	BARBED 6W ADAPTOR 20x1" THF		150	6.6		
LAYFLAT START CONNECTOR						
101003859	LAYFLAT START CONNECTOR 3/4" MALE HOLE SIZE 14mm LF3438		1000	12.5	Use LFC14 Layflat Cutter SAP 101001118	Standard
101030551	LAYFLAT START CONNECTOR 3/4" MALE HOLE SIZE 19mm LF3412					Usually for repair
101030550	LAYFLAT METAL DRIVER 10mm HEX-ALL SIZE					
LAYFLAT START CONNECTOR SUPER						
WT12582	LAYFLAT START CONNECTOR SUPER CONIC FEAMALE HOLE SIZE 14mm BLFS10					Use LFC14 Layflat Cutter SAP 101001118
WT12955	LAYFLAT PLASTIC DRIVER 7mm HEX-FOR START CONNECTOR SUPER					
WT13076	LAYFLAT METAL DRIVER 7mm HEX-FOR START CONNECTOR SUPER					
101030553	LAYFLAT START CONNECTOR SUPER 12mm HOLE SIZE 14mm LFS12		1500	15		include the start connector and the conic x barb connector
101030554	LAYFLAT START CONNECTOR SUPER 16mm HOLE SIZE 14mm LFS16		1200	13		include the start connector and the conic x barb connector
101030556	LAYFLAT START CONNECTOR SUPER 17 mm HOLE SIZE 14mm LFS17		1200	13		include the start connector and the conic x barb connector
101030555	LAYFLAT START CONNECTOR SUPER 20mm HOLE SIZE 14mm LFS20		1000	12.5		include the start connector and the conic x barb connector
DRIPLINES VALVE BARB x BARB						

101004605	DRIPLINES VALVE BARB 12 X BARB 12		400	13	
101033948	DRIPLINE VALVE BARB 12 x BARB 12 PURPLE PBT				
101004590	DRIPLINES VALVE BARB 16 X BARB 16		400	13.3	
101004593	DRIPLINES VALVE BARB 17 X BARB 17		400	13.5	
101004591	DRIPLINES VALVE BARB 20 X BARB 20		350	12.3	
101004592	DRIPLINES VALVE BARB 25 X BARB 25		300	11.5	
DRIPLINE VALVE BARB x MALE THREADED					
101004606	DRIPLINE VALVE BARB 16x1/2" MALE THREADED BLACK		400	14	
101004607	DRIPLINE VALVE BARB 16x3/4" MALE THREADED BLACK		350	13.7	
101004610	DRIPLINE VALVE BARB 17x3/4" MALE THREADED BLACK		350	13.9	
101033951	DRIPLINE VALVE BARB 20x3/4" MALE THREADED BLACK		350	14	
101004609	DRIPLINE VALVE BARB 25x3/4" MALE THREADED BLACK		280	12.1	
DRIPLINE VALVE BARB x FEMALE THREADED					
101004611	DRIPLINE VALVE BARB 16x3/4" FEMALE THREADED BLACK		350	13.7	
101033969	DRIPLINES VALVE Ring 20 X Ring 20		150	10	
DRIPLINE VALVE ELBOW BARB					
101033945	DRIPLINE VALVE ELBOW BARB 16x16 BLACK		330	11.7	
101033946	DRIPLINE VALVE ELBOW BARB 17x17 BLACK		330	11.6	
101033947	DRIPLINE VALVE ELBOW BARB 20x20 BLACK		330	11.8	

8 mm insert fittings for Hydrobloom 8 and other 8mm lde pipes

The fittings serve 8 mm HydroBloom driplines
 They serve as start connectors as well
 For HydroBloom 8/32, ID 6.4mm and OD 8mm

SAP	Movex	Product color	Description	Model	Bag			Box				
					Size	Quantity un.	Av. Weight kg	Code	Size	Quantity un.	Av. Weight kg	
101003880	05210-0040	Green	BARBED GREEN COUPLING RIVULIS 8x8mm	Insert coupling		25x30	1000	0.78	C5	L470 W370 H265	20000	16.3
101030574	05210-0041	Brown	BARBED BROWN COUPLING RIVULIS 8x8mm									
101003938	05240-0021	Green	BARBED GREEN ELBOW RIVULIS 8mm	Insert elbow								
101030604	05240-0022	Brown	BARBED BROWN ELBOW RIVULIS 8mm									
101003973	05250-0027	Green	BARBED GREEN TEE RIVULIS 8x8x8mm	Insert Tee		25x30	1000	1	C5	L470 W370 H265	13000	13.8
101030610	05250-0028	Brown	BARBED BROWN TEE RIVULIS 8x8x8mm									
101003925	05235-0033	Green	BARBED GREEN ELBOW 8x1/2"THM	8 mm x 1/2" THM adaptor								
101030600	05235-0034	Brown	BARBED BROWN ELBOW 8x1/2"THM									
101030601	05235-0035	Green	BARBED GREEN ELBOW 8x3/8"THM	8 mm x 3/8" THM adaptor								
101030602	05235-0036	Brown	BARBED BROWN ELBOW 8x3/8"THM									
101022746	03410-0023	Green handle	MP3.7, Mini Punch	MP3.7, Mini Punch								










Pro-Grip Connectors for:

Pro-Grip 16mm support 16mm flat and tape driplines from 6 mil [0.16mm] to 25mil [0.6mm]








Hydrodrip 16/10-16/26

D5000 16/15

D5000 17/18, 17/25

Movex	SAP	Model	Description	Bag			Box			
				Size	Quantity un.	Av. Weight kg	Code	Size	Quantity un.	Av. Weight kg
05303/12	101041880	 PG-T5-B450 Pro Grip start connector 5/8 (16mm) Tape X 450 (13mm) Barb * In PE pipes- drill 7.5mm holes * In PVC pipes - drill 16mm holes and use Plastro start connector grommets (SAP 101001886, Movex 05207-0001)	30x40	100	1	C3	L490 W355 H355	1300	13	
05303/02	101001154	 PG-T5-LF19 Pro Grip 5/8 (16mm) Tape X Lay Flat * Punch 19mm holes with LFC 19 Lay Flat Cutter (SAP 101001120, Movex 03450-0014)								
05303/13	101041881	 PG-T5-B540 Pro Grip 5/8 (16mm) Tape X 540 (13mm) Barb * The barb fits to PELD pipes with I.D 13.6-13.8 mm	30x40	100	1	C3	L490 W355 H355	1100	11.6	
05303/01	101001157	 PG-T5-T5 Pro Grip 5/8 (16mm) Tape coupling	35x50	100	1.5	C3	L490 W355 H355	800	12.7	
	101001153	 PG-T5-FV-1 Pro Grip 5/8 (16mm) Tape X Flush valve, 0.07 bar								
05303/04	101001156	 PG-T5-PMT500 Pro Grip 5/8 (16mm) Tape X 1/2 MPT		100				1000		
05303/08	101001851	 PG-T5-T5-VLV Pro Grip 5/8 (16mm) Tape X 5/8 (16mm) Tape w/valve		100				400		
	101001846	 PRO-GRIP, 5/8 (16mm) Tape x 425 Barb w/ Valve * Use with - PRO-GRIP, Take Off Grommet, 17 mm, T Style 11/16, SAP number 101001105 * Drill 16mm hole - use 101003342 (16mm drill bit DR - 16)		100				500		
	101001850	 5/8" Tape x 3/4" MPT w/ Valve		100				400		

Pro-Grip and Tavlit Swivel Connectors for:
22/15, 22/25, 23/40

Movex	SAP	Model	Description	Bag			Box					
				Size	Quantity un.	Av. Weight kg	SAP	Code	Size	Quantity un.	Av. Weight kg	
	101001174	PG-T7-B700 	Pro Grip start connector 7/8 (22mm) Tape X 700 (18mm) Barb * In PE and PVC pipes- drill 19mm holes with DR-19 (SAP 101001355) * Use 19mm grommet (SAP 101001106) * To install into thin wall LDPE use 700 Barb Inserter (SAP 101001112)									
	101001117 + 101001178	PG-LF19-FHT750 + PG-T7-MPT750 	Layflat start connector for 7/8 (22mm) Tape * Punch 19mm hole with LFC19 Lay Flat Cutter (SAP 101001120) * Use PG Lay Flat x 3/4 FPT Swivel w/ washer (SAP 101001117) * Use Pro Grip, 7/8 Tape x 3/4 MPT in order to connect to the layflat start connector (SAP 101001178)									
05232-0003	101003911	20mm Barb x 22mm Ring Lock 	Connects Hydrolite 22mm to 20mm PE pipe									
05303/03	101001180	PG-T7-T7 	Pro Grip 7/8 (22mm) Tape coupling									
05303/05	101001178	PG-T7-PMT750 	Pro Grip 7/8 (22mm) Tape X 3/4 MPT									
	101047611		TAPE 22mm X 3/4 FPT SWIVEL		350							
	101047610		TAPE 22mm X 3/4 MPT		500							

www.irrigationglobal.com

Contactus: service@irrigationglobal.com

**Tavlit Swivel Connectors for:
25/15, 25/25**

Movex	SAP	Model	Description	Bag			Box					
				Size	Quantity un.	Av. Weight kg	SAP	Code	Size	Quantity un.	Av. Weight kg	
	101047607		TAPE 25mm x TAPE 25mm 		350							
	101047608		TAPE 25mm x 3/4" MPT 		500							
	101047609		TAPE 25mm x 3/4" FPT swivel 		350							

Line End for LDPE Pipes

The Line Ends serve Driplines and PE pipes



SAP	MOVEX	Description	Packages									Remarks
			Bag			Box						
			SAP	Size	Quantity un.	Av. Weight kg	SAP	Code	Size	Quantity un.	Av. Weight kg	
101046036	05291-0002	LINE END CLAMP 12mm, 100 UNITS PACK	303000545	25x30	100	0.25	303000515	C-5	L470 W370 H265	2,500	7.23	
101046037	05291-0003	LINE END CLAMP 16mm, 100 UNITS PACK	303000545	25x30	100	0.37	303000515	C-5	L470 W370 H265	1,600	6.69	
101046038	05291-0004	LINE END CLAMP 17-18mm, 100 UNITS PACK	303000546	30x40	100	0.45	303000515	C-5	L470 W370 H265	1,200	6.16	
101046039	05291-0005	LINE END CLAMP 20mm, 100 UNITS PACK	303000546	30x40	100	0.56	303000515	C-5	L470 W370 H265	1,000	6.34	
101045207	05291-0006	LINE END CLAMP 12mm, 500 UNITS PACK	303000548	35x50	500	1.26	303000515	C-5	L470 W370 H265	2,500	7.06	
101045208	05291-0007	LINE END CLAMP 16mm, 500 UNITS PACK	303000549	40x55	500	1.83	303000515	C-5	L470 W370 H265	1,500	6.23	
101045209	05291-0008	LINE END CLAMP 17-18mm, 500 UNITS PACK	303000549	40x55	500	2.12	303000515	C-5	L470 W370 H265	1,000	5.14	
101045210	05291-0009	LINE END CLAMP 20mm, 500 UNITS PACK	303000551	50*65	500	2.76	303000515	C-5	L470 W370 H265	1,000	6.27	

Material - PP

Barbed Start and Couplings

Connect driplines and PE pipes to PVC or PE manifolds.



SAP	Movex	Color	Description	Dripline / PE pipe	Νομινά διαμετερ		W.T.		ID	Raw material	Applications
					(mm)	(inch)	(mm)	χιλς			
101001883	05190-0011	Black	BARBED BLACK START CONNECTOR 12mm	Hydrogol, Hydro PC, Hydro PCND, PE pipe	12	0.472	0.6-1.2	25-47	10.4	POM+PEAD	Default
101030544	05190-0015	Violet	BARBED VIOLET START CONNECTOR 12mm	Hydrogol, PE pipe	12	0.472	0.9-1.2	35-47	10.4	PBT	Mines
101001885	05190-0018	Green S	BARBED GREEN START CONNECTOR 16mm S	D5000, D2000, Hydrogol, Hydro PC, HydroPCND, PE pipe	16	0.630	0.6-1.2	35-47	13.6-13.8	POM+PEAD	Default
101030545	05190-0022	Brown S	BARBED BROWN START CONNECTOR 16mm S	D5000, D2000, Hydrogol, Hydro PC, HydroPCND, PE pipe	16	0.630	0.6-1.2	35-47	13.6-13.8	POM+PEAD	Landscape
101030542	05190-0006	Violet	BARBED VIOLET START CONNECTOR 16mm	D5000, D2000, Hydrogol, Hydro PC, HydroPCND, PE pipe	16	0.630	1.0-1.1	40-45	13.6-13.8	PBT	Mines
101003837	05190-0003	Green	BARBED GREEN START CONNECTOR 17mm	D5000, HydroPC, HydroPCND, PE pipe	17	0.669	0.9-1.2	35-47	15.2-15.3	POM+PEAD	Default
101030541	05190-0005	Brown	BARBED BROWN START CONNECTOR 17mm	D5000, HydroPC, HydroPCND, PE pipe	17	0.669	0.9-1.2	35-47	15.2-15.3	POM+PEAD	Landscape
101001884	05190-0014	Black	BARBED BLACK START CONNECTOR 20mm	D5000, D2000, Hydrogol, HydroPC, HydroPCND, PE pipe	20	0.787	0.9-1.2	35-47	17.6	POM+PEAD	Default

Catalogue numbers in bold - recommended start connectors

SAP	Movex	Description	Max. pipe wall thickness
101001886	05207-0001	Start connector grommet for PVC and PE pipes	4 mm



Insert Couplings

Connect two PE pipes or driplines.



SAP	Movex	Color	Description	Dripline + PE pipe	Νομινά διαμετερ		W.T.		ID	Raw materials	Applications
					(mm)	(inch)	(mm)	χιλς			
101001887	05210-0013	Black	BARBED BLACK COUPLING 12x12	Hydrogol, Hydro PC, HydroPCND, PE pipe	12	0.472	0.6-1.2	25-47	10.4	POM+PEAD	Default
101030571	05210-0017	Violet	BARBED VIOLET COUPLING 12x12	Hydrogol, PE pipe	12	0.472	0.9-1.2	35-47	10.4	PBT	Mines
101009941	05210-0031	Brown	BARBED BROWN COUPLING 12x12	Hydro PC, HydroPCND, Hydrogol, PE pipe	12	0.472	0.6-1.2	25-47	10.4	POM+PEAD	Landscape
101001889	05210-0028	Green S	BARBED GREEN COUPLING 16x16 S	D5000, D2000, Hydrogol, HydroPC, HydroPCND, PE pipe	16	0.630	0.6-1.1	35-45	13.6-13.8	POM+PEAD	Default
101010386	05210-0032	Brown S	BARBED BROWN COUPLING 16x16 S	D5000, D2000, Hydrogol, HydroPC, HydroPCND, PE pipe	16	0.630	0.6-1.1	35-45	13.6-13.8	POM+PEAD	Landscape
101030569	05210-0007	Violet	BARBED VIOLET COUPLING 16x16	D5000, D2000, Hydrogol, HydroPC, HydroPCND, PE pipe	16	0.630	1.0-1.1	40-45	13.6-13.8	PBT	Mines
101001965	05210-0004	Green	BARBED GREEN COUPLING 17x17	D5000, HydroPC, HydroPCND, PE pipe	17	0.669	0.9-1.2	35-47	15.2-15.3	POM+PEAD	Default
101003868	05210-0006	Brown	BARBED BROWN COUPLING 17x17	D5000, HydroPC, HydroPCND, PE pipe	17	0.669	0.9-1.2	35-47	15.2-15.3	POM+PEAD	Landscape
101001888	05210-0016	Black	BARBED BLACK COUPLING 20x20	D5000, D2000, Hydrogol, HydroPC, HydroPCND, PE pipe	20	0.787	0.9-1.2	35-47	17.6	POM+PEAD	Default
101003908	05230-0042	Green	REDUCING BARBED GREEN COUPLING 12x16	Hydrogol, PE pipe	12-16	0.472-0.630	0.9-1.2	35-47		POM+PEAD	Default
101009942	05230-0037	Brown	REDUCING BARBED BROWN COUPLING 12x16	HydroPC, HydroPCND, Hydrogol, PE pipe	12-16	0.472-0.630	0.9-1.2	35-47		POM+PEAD	Landscape
101030585	05230-0022	Violet	REDUCING BARBED VIOLET COUPLING 12x16	HydroPC, HydroPCND, Hydrogol, PE pipe	12-16	0.472-0.630	0.9-1.2	35-47		PBT	Mines
101001970	05230-0016	Green	REDUCING BARBED GREEN COUPLING 16x17	HydroPC, HydroPCND, PE pipe	16-17	0.630-0.669	0.9-1.2	35-47		POM+PEAD	Default
101003888	05230-0001	Green	REDUCING BARBED GREEN COUPLING 16x20	Hydrogol, HydroPC, HydroPCND, PE pipe	16-20	0.630-0.787	0.9-1.2	35-47		POM+PEAD	Default
101003895	05230-0015	Green	REDUCING BARBED GREEN COUPLING 17x20	HydroPC, HydroPCND, PE pipe	17-20	0.669-0.787	0.9-1.2	35-47		POM+PEAD	Default

Catalogue numbers in bold - recommended connectors

Hydrofit Connectors For: Hydrodrip 16/18

Hydrofit Start Connector

Connects Hydrodrip dripline to a PVC or PE manifold.



SAP	Ring color	Dripline	Νομινιαλ διαμετερ		W.T		Raw material
			(mm)	(Inch)	(mm)	χιλις	
101010552	Gray	Hydrodrip 16/18	16	0.630	0.45	18	POM

Hydrofit Adaptor (barbed x ring lock connector)

Connects Hydrodrip to 16 mm PE pipe.



SAP	Ring color	Dripline	Νομινιαλ διαμετερ		W.T		Raw materials
			(mm)	(Inch)	(mm)	χιλις	
101010553	Gray	Hydrodrip 16/18	16	0.630	0.45	18	POM

Hydrofit Coupling (2 rings)

Connects two Hydrodrip laterals, may be used for repairs.



SAP	Ring color	Dripline	Νομινιαλ διαμετερ		W.T		Raw materials
			(mm)	(Inch)	(mm)	χιλις	
101003881	Gray	Hydrodrip 16/18	16	0.630	0.45	18	POM

Hydrofit Line End

Connects Hydrodrip line end with a fastening ring.



Catalogue no.	Ring color	Dripline	Νομινιαλ διαμετερ		W.T		Raw materials
			(mm)	(Inch)	(mm)	χιλις	
101004030	Gray	Hydrodrip 16/18	16	0.630	0.45	18	POM