



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of
NSF/ANSI/CAN 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on November 11, 2021.

AQUESTIA
Kibbutz Kfar Charuv 12932
Israel
972 6 676 1980

Facility: Kibbutz Kfar Charuv, Israel

Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Backflow Preventers [G]			
DC 500	1/2" - 2"	CLD 23	MLTPL
DC 501	1/2" - 2"	CLD 23	MLTPL
RP 500	1/2" - 2"	CLD 23	MLTPL
RP 501	1/2" - 2"	CLD 23	MLTPL
Vacuum Breakers			
PVB500	1/2" - 1"	D. HOT	MLTPL
PVB501	1/2" - 1"	D. HOT	MLTPL
Valves [G]			
ELIPTIX C20 [3] [4]	1" - 8"	CLD 23	MLTPL
ELIPTIX C30 [1]	1" - 16"	CLD 23	MLTPL
ELIPTIX C40 [4]	2" - 8"	CLD 23	MLTPL
ELIPTIX W40 [4]	2" - 8"	CLD 23	MLTPL
ELIPTIX angled C30 [2] [4]	2" - 4"	CLD 23	MLTPL
D-012	1" - 4"	CLD 23	MLTPL
D-014	1" - 4"	CLD 23	MLTPL
D-015	1" - 4"	CLD 23	MLTPL
D-040 Barak	1/2" - 2"	CLD 23	MLTPL
D-040 C Barak	1/2" - 2"	CLD 23	MLTPL
D-040 St.St.	1/2" - 2"	CLD 23	MLTPL
D-040L	1/2" - 2"	CLD 23	MLTPL
D-050	1" - 4"	CLD 23	MLTPL
D-050 St.St	1" - 4"	CLD 23	MLTPL
D-050C	1" - 4"	CLD 23	MLTPL
D-052	1" - 4"	CLD 23	MLTPL
D-060 HF	2" - 10"	CLD 23	MLTPL
D-060 HF NS	2" - 10"	CLD 23	MLTPL
D-060-C HF	2" - 10"	CLD 23	MLTPL
D-060-C HF NS	2" - 10"	CLD 23	MLTPL
D-060-M1	3" - 12"	CLD 23	MLTPL
D-060-M1-SD	3" - 12"	CLD 23	MLTPL
D-060-M1-SS	3" - 12"	CLD 23	MLTPL
D-060-NS-M1	3" - 12"	CLD 23	MLTPL

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



D-060-NS-M1-SD	3" - 12"	CLD 23	MLTPL
D-060-NS-M1-SS	3" - 12"	CLD 23	MLTPL
D-060-NS-SD	3" - 12"	CLD 23	MLTPL
D-060-NS-SS	3" - 12"	CLD 23	MLTPL
D-060-SD	3" - 12"	CLD 23	MLTPL
D-060-SS	3" - 12"	CLD 23	MLTPL
D-060-V-M1	3" - 12"	CLD 23	MLTPL
D-060-V-M1-SD	3" - 12"	CLD 23	MLTPL
D-060-V-M1-SS	3" - 12"	CLD 23	MLTPL
D-060-V-SD	3" - 12"	CLD 23	MLTPL
D-060-V-SS	3" - 12"	CLD 23	MLTPL
D-062 HF	2" - 10"	CLD 23	MLTPL
D-062 HF NS	2" - 10"	CLD 23	MLTPL
D-065-M1	3" - 12"	CLD 23	MLTPL
D-065-M1-SD	3" - 12"	CLD 23	MLTPL
D-065-NS-M1	3" - 12"	CLD 23	MLTPL
D-065-NS-M1-SD	3" - 12"	CLD 23	MLTPL
D-065-NS-M1-SS	3" - 12"	CLD 23	MLTPL
D-065-NS-SD	3" - 12"	CLD 23	MLTPL
D-065-NS-SS	3" - 12"	CLD 23	MLTPL
D-065-SD	3" - 12"	CLD 23	MLTPL
D-065-SS	3" - 12"	CLD 23	MLTPL
D-065-V-M1	3" - 12"	CLD 23	MLTPL
D-065-V-M1-SD	3" - 12"	CLD 23	MLTPL
D-065-V-M1-SS	3" - 12"	CLD 23	MLTPL
D-065-V-SD	3" - 12"	CLD 23	MLTPL
D-065-V-SS	3" - 12"	CLD 23	MLTPL
D-065-M1-SS	3" - 12"	CLD 23	MLTPL
D-070 [G]	2"	CLD 23	MLTPL
D-070 [G]	3" - 8"	CLD 23	MLTPL
D43	2" - 10"	CLD 23	MLTPL
D43 NS	2" - 10"	CLD 23	MLTPL
D46	2" - 8"	CLD 23	MLTPL
D46 NS	2" - 8"	CLD 23	MLTPL
K-010	1" - 4"	CLD 23	MLTPL
K-010 St.St	1" - 4"	CLD 23	MLTPL
K-012	1" - 4"	CLD 23	MLTPL
K-014	1" - 4"	CLD 23	MLTPL
K-015	2" - 4"	CLD 23	MLTPL
K-016	2" - 4"	CLD 23	MLTPL
K-060 HF	2" - 10"	CLD 23	MLTPL
K-060 HF NS	2" - 10"	CLD 23	MLTPL
K-060 NS-SD	3" - 12"	CLD 23	MLTPL
K-060 NS-SS	3" - 12"	CLD 23	MLTPL
K-060 SD	3" - 12"	CLD 23	MLTPL
K-060 SS	3" - 12"	CLD 23	MLTPL
K-060 V-SD	3" - 12"	CLD 23	MLTPL
K-060 V-SS	3" - 12"	CLD 23	MLTPL
K-060-M1	3" - 12"	CLD 23	MLTPL
K-060-M1-SD	3" - 12"	CLD 23	MLTPL
K-060-M1-SS	3" - 12"	CLD 23	MLTPL

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



K-060-NS-M1	3" - 12"	CLD 23	MLTPL
K-060-NS-M1-SD	3" - 12"	CLD 23	MLTPL
K-060-NS-M1-SS	3" - 12"	CLD 23	MLTPL
K-060-V-M1	3" - 12"	CLD 23	MLTPL
K-060-V-M1-SD	3" - 12"	CLD 23	MLTPL
K-060-V-M1-SS	3" - 12"	CLD 23	MLTPL
K-100	1" - 2"	CLD 23	MLTPL
PLS-VA BSPxBFP	1/2" - 2"	CLD 23	MLTPL
PLS-VA BSPxBSP	1/2" - 2"	CLD 23	MLTPL
PLS-VA NPTxBFP	1/2" - 2"	CLD 23	MLTPL
PLS-VA NPTxNPT	1/2" - 2"	CLD 23	MLTPL
S-015	3/4" - 1"	CLD 23	MLTPL
S-015-SD	3/4" - 1"	CLD 23	MLTPL
S-015-SS	3/4" - 1"	CLD 23	MLTPL
S-050 Segev	1/2" - 1"	CLD 23	MLTPL
S-050 St.St.	1/2" - 1"	CLD 23	MLTPL
S-050-C	1/2" - 1"	CLD 23	MLTPL
S-052	1/2" - 1"	CLD 23	MLTPL
VB-060	8" - 24"	CLD 23	MLTPL

- [1] End connections may be threaded, grooved or flanged for the inline valve.
- [2] End connections may be flanged or threaded for the angled valve.
- [3] End connections may be threaded, grooved, flanged or solvent welded.
- [4] ELIPTIX valves are Certified to be used with the following optional control trim:
 - CONNECTOR "T" - SST
 - CONNECTOR CROSS-SST
 - CONNECTOR ELBOW-SST
 - CONNECTOR STRAIGHT-SST
 - BUSHING-SST
 - PLUG-SST
 - NIPPLE-SST
 - ADAPTOR-SST
 - TUBING- SST , 8*1.0"
 - TUBING- SST 316, 10x1.0 mm"
 - BALL VALVE 3WAY
 - NEEDLE VALVE
 - BALL VALVE 2WAY
 - FILTER, IN-LINE
 - EXTERNAL Y FILTER
 - Pilot P-26 R
 - Pilot P-26 S
 - Pilot P-26 Q
 - Pilot P-36 D
 - Pilot P-36 M
 - Pilot P-31 M
 - Pilot P-31 D
 - Pilot P-36 U
 - Pilot P-96 M
 - Pilot P-91 M
 - Pilot P-31 U
 - Pilot P-36 Z

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.